

---

# Fuel Oil Mixture For Johnson Outboard Motors

---

What Is the Oil Mixture for an Evinrude Outboard Motor ...  
 2 stroke diy gas oil mix for boat motor  
 Fuel Oil Mixture For Johnson  
 Marine Gas Oil Mixture Ratio Calculator  
 How to Pre-mix Gas & Oil for Outboard Engines | Gone ...  
 What Is the Fuel Mixture for a Johnson Outboard Motor ...  
 Johnson Evinrude Fuel to Oil Mixture Ratio - MarineEngine ...  
 ratio for OLD johnson 10hp outboard? - Bob Is The Oil Guy  
 Top 20 FAQ's about Outboards | Evinrude Nation Community  
 gas/oil ratio - E-NATION - Evinrude Outboard Motors  
 fuel mix for old Johnson | Boat Design Net  
 Johnson 6 hp outboard fuel ratios - Answers  
 What is the fuel mixture for Johnson 4HP Outboard Motor ...  
 How to Mix Gas on a 5Hp Evinrude Boat Motor | Gone ...  
 Maintaining Johnson/Evinrude 9.5 hp 2 ... - LeeRoy's Ramblings  
 What is the proper fuel oil mixture for a 90 hp Johnson ...

*Fuel Oil Mixture For  
 Johnson Outboard  
 Motors*

*Downloaded from  
[ns1.galaxy.mu](http://ns1.galaxy.mu) by guest*

---

## RAMOS ERIN

---

**What Is the Oil Mixture for an  
 Evinrude Outboard Motor ...** Fuel Oil  
 Mixture For JohnsonPlease note that some  
 Johnson and Evinrude Owners Manuals

mention 100:1 mixture ratio after the  
 motor is completely broken in, but most  
 experts suggest against doing that. Stick  
 with 50:1 for the 1964 and newer motors.  
 Models that have working VRO Pumps  
 (Variable Ratio Oilers) do not require oil to  
 be mixed with fuel. The pump is doing the  
 mixing.Johnson Evinrude Fuel to Oil  
 Mixture Ratio - MarineEngine ...Any

Johnson outboard motor built since 1964  
 requires a 50/1 fuel ratio. Motors built  
 prior to that date require a 32/1 ratio, with  
 the exception of a few fishing motors built  
 prior to 1955 that use a 16/1 ratio. Johnson  
 outboard motors are two-cycle engines.  
 These engines use a fuel and oil mix to  
 provide lubrication.What Is the Fuel  
 Mixture for a Johnson Outboard Motor

...Mixing the fuel and oil for a 5-horsepower Evinrude outboard motor isn't an onerous task. A two-stroke 5-horsepower Evinrude motor, like all two-stroke motors, needs a mix of gas and oil in its gas tank, since it doesn't have a separate lubrication system. How to Mix Gas on a 5Hp Evinrude Boat Motor | Gone ...The fuel to oil ratio for a 1988 model, 8hp Johnson outboard, would be 50:1, six gallons of fuel, to one pint of two cycle oil. Asked in Boats and Watercraft What is the oil to gas mixture for a ...Johnson 6 hp outboard fuel ratios - Answers Evinrude outboard motors made since 1964 require a 50 to 1 fuel to oil mixture using 6 gallons of gas per 1 pint of oil. Motors made prior to 1964 take a 24 to 1 mixture. The most common mixture for motors made prior to 1955 was 16 to 1. Evinrude was founded by Ole Evinrude in Milwaukee, Wisconsin, in 1907. What Is the Oil Mixture for an Evinrude Outboard Motor ...Johnson and Evinrude carbureted 2-stroke outboards since 1964 require a 50:1 fuel to oil mixture (2%) on engines without an automatic oiling system - 6 gallons of gas to 1 pint of outboard oil. Refer to question #5 for information on oil. Most outboards

manufactured before 1964 need 24:1. Fishing motors prior to 1955 commonly used a 16:1 ratio. Top 20 FAQ's about Outboards | Evinrude Nation Community The 1970 model, 9.9hp Johnson outboard requires a 50:1 fuel to oil ratio. This is roughly, one pint of 2 cycle oil, to six gallons of fuel. What is the proper fuel oil mixture for a 90 hp Johnson ...Two-stroke engines have enjoyed popularity with boat owners since Ole Evinrude devised the first outboard motor in 1911. Many modern two-stroke outboard manufacturers use an oil reservoir and a metered oil-injection system to make the 50-to-1 mix of gasoline-to-oil, but on their smaller outboards, you make the mix by hand. How to Pre-mix Gas & Oil for Outboard Engines | Gone ...I had a '55 Evinrude when I was a kid. It took non-detergent automotive oil at a 24:1 ratio. They sold special outboard oil that was to be used at the same ratio, but hardly anyone used the stuff. I switched over to 50:1 when TCWC oils became available. The engine lasted into the late 1970s before the head cracked. ratio for OLD johnson 10hp outboard? - Bob Is The Oil Guy Enter the number of US gallons of gas

added to the tank; the default is 5 gallons. Then, enter the mixture ratio of gas to oil. Most marine requirements, such as personal water craft (PWC), jet skis and outboards, are 50:1, gas to oil. If you are uncertain, consult your owners manual. Enter the ratio value or accept the default. Marine Gas Oil Mixture Ratio Calculator Here you get to see how to mix 2 stroke fuel. Whether you have a two stroke boat motor chainsaw weedeater blower dirtbike whatever it is important to have the correct mixture of oil and gas or ...2 stroke diy gas oil mix for boat motor! am new to this site, hoping for some help. I recently acquired a 1962 Johnson Seahorse 5.5. Runs great, needs a couple of lower end parts which I have a line on, but I have conflicting info on the fuel and oil mix. fuel mix for old Johnson | Boat Design Net Bottom line is to buy any brand of good 2-cycle oil and read the label to see what mixture ratio it is rated at. Almost everything now is at least 50:1, but read the label to make absolutely sure. As long as you mix the oil at the ratio recommended on the product label, it will work great in anything from a 1960 outboard to a 2007 chainsaw. What is the

fuel mixture for Johnson 4HP Outboard Motor ...IF you premix the gasoline and oil, add one pint of lubricant to 6 gallons of fuel for approximately a 50:1 ratio. Be sure the outboard oil is certified TC-W3 or better yet use the Johnson-Evinrude XD-50 oil for best results and minimum smoke.gas/oil ratio - E-NATION - Evinrude Outboard MotorsMaintaining Johnson/Evinrude 9.5 hp 2 cycle outboards. 1964 - 1973 (Information & normal repairs) ... R ecommended Fuel / Oil Mix : The formula shown below will be on all modern 2 cycle oil sold in the last 30 years or so. On most ... If your motor is one of these where you have to mix the oil, you need to know how much gasoline you will be ...Maintaining Johnson/Evinrude 9.5 hp 2 ... - LeeRoy's RamblingsWhat is the correct oil fuel ratio on my 25hp johnson outboard? I have a 25hp 1983 johnson outboard and i was wondering if anyone could tell me the correct oil fuel ratio i was told when buying the boat that the ratio was 50:1 however on the engine it says 100:1. the motor will sometimes stop when idleing. Johnson and Evinrude carbureted 2-stroke outboards since 1964 require a 50:1 fuel

to oil mixture (2%) on engines without an automatic oiling system - 6 gallons of gas to 1 pint of outboard oil. Refer to question #5 for information on oil. Most outboards manufactured before 1964 need 24:1. Fishing motors prior to 1955 commonly used a 16:1 ratio.

*2 stroke diy gas oil mix for boat motor*  
[Fuel Oil Mixture For Johnson](#)  
[Fuel Oil Mixture For Johnson](#)

The fuel to oil ratio for a 1988 model, 8hp Johnson outboard, would be 50:1, six gallons of fuel, to one pint of two cycle oil. Asked in Boats and Watercraft What is the oil to gas mixture for a ...

[Marine Gas Oil Mixture Ratio Calculator](#)  
 Evinrude outboard motors made since 1964 require a 50 to 1 fuel to oil mixture using 6 gallons of gas per 1 pint of oil. Motors made prior to 1964 take a 24 to 1 mixture. The most common mixture for motors made prior to 1955 was 16 to 1. Evinrude was founded by Ole Evinrude in Milwaukee, Wisconsin, in 1907.

*How to Pre-mix Gas & Oil for Outboard Engines | Gone ...*

Mixing the fuel and oil for a 5-horsepower Evinrude outboard motor isn't an onerous task. A two-stroke 5-horsepower Evinrude

motor, like all two-stroke motors, needs a mix of gas and oil in its gas tank, since it doesn't have a separate lubrication system.

*What Is the Fuel Mixture for a Johnson Outboard Motor ...*

Any Johnson outboard motor built since 1964 requires a 50/1 fuel ratio. Motors built prior to that date require a 32/1 ratio, with the exception of a few fishing motors built prior to 1955 that use a 16/1 ratio. Johnson outboard motors are two-cycle engines. These engines use a fuel and oil mix to provide lubrication.

*Johnson Evinrude Fuel to Oil Mixture Ratio - MarineEngine ...*

Two-stroke engines have enjoyed popularity with boat owners since Ole Evinrude devised the first outboard motor in 1911. Many modern two-stroke outboard manufacturers use an oil reservoir and a metered oil-injection system to make the 50-to-1 mix of gasoline-to-oil, but on their smaller outboards, you make the mix by hand.

**ratio for OLD johnson 10hp outboard? - Bob Is The Oil Guy**

Enter the number of US gallons of gas added to the tank; the default is 5 gallons.

Then, enter the mixture ratio of gas to oil. Most marine requirements, such as personal water craft (PWC), jet skis and outboards, are 50:1, gas to oil. If you are uncertain, consult your owners manual. Enter the ratio value or accept the default. [Top 20 FAQ's about Outboards | Evinrude Nation Community](#)

I am new to this site, hoping for some help. I recently acquired a 1962 Johnson Seahorse 5.5. Runs great, needs a couple of lower end parts which I have a line on, but I have conflicting info on the fuel and oil mix.

### **gas/oil ratio - E-NATION - Evinrude Outboard Motors**

Maintaining Johnson/Evinrude 9.5 hp 2 cycle outboards. 1964 - 1973 (Information & normal repairs) ... Recommended Fuel / Oil Mix : The formula shown below will be on all modern 2 cycle oil sold in the last 30 years or so. On most ... If your motor is one of these where you have to mix the oil, you need to know how much gasoline you will be ...

### **fuel mix for old Johnson | Boat Design Net**

Bottom line is to buy any brand of good 2-cycle oil and read the label to see what

mixture ratio it is rated at. Almost everything now is at least 50:1, but read the label to make absolutely sure. As long as you mix the oil at the ratio recommended on the product label, it will work great in anything from a 1960 outboard to a 2007 chainsaw.

I had a '55 Evinrude when I was a kid. It took non-detergent automotive oil at a 24:1 ratio. They sold special outboard oil that was to be used at the same ratio, but hardly anyone used the stuff. I switched over to 50:1 when TCWC oils became available. The engine lasted into the late 1970s before the head cracked.

[Johnson 6 hp outboard fuel ratios - Answers](#)

Here you get to see how to mix 2 stroke fuel. Whether you have a two stroke boat motor chainsaw weedeater blower dirtbike whatever it is important to have the correct mixture of oil and gas or ...

[What is the fuel mixture for Johnson 4HP Outboard Motor ...](#)

What is the correct oil fuel ratio on my 25hp johnson outboard? I have a 25hp 1983 johnson outboard and i was wondering if anyone could tell me the

correct oil fuel ratio i was told when buying the boat that the ratio was 50:1 however on the engine it says 100:1. the motor will sometimes stop when idling. [How to Mix Gas on a 5Hp Evinrude Boat Motor | Gone ...](#)

The 1970 model, 9.9hp Johnson outboard requires a 50:1 fuel to oil ratio. This is roughly, one pint of 2 cycle oil, to six gallons of fuel.

[Maintaining Johnson/Evinrude 9.5 hp 2 ... - LeeRoy's Ramblings](#)

Please note that some Johnson and Evinrude Owners Manuals mention 100:1 mixture ratio after the motor is completely broken in, but most experts suggest against doing that. Stick with 50:1 for the 1964 and newer motors. Models that have working VRO Pumps (Variable Ratio Oilers) do not require oil to be mixed with fuel. The pump is doing the mixing.

[What is the proper fuel oil mixture for a 90 hp Johnson ...](#)

If you premix the gasoline and oil, add one pint of lubricant to 6 gallons of fuel for approximately a 50:1 ratio. Be sure the outboard oil is certified TC-W3 or better yet use the Johnson-Evinrude XD-50 oil for best results and minimum smoke.